

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

TITAniumPRO Professional Cleaner for guns and foams

Creation date 30th August 2022
Revision date Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier TITAniumPRO Professional Cleaner for guns and foams
Substance / mixture mixture

UFI UC00-Y0G9-U00X-FH8A

1.2. Relevant identified uses of the substance or mixture and uses advised against
Mixture's intended use

Aerosol for cleaning freshly soiled surfaces with polyurethane systems, cleaning application guns, valves on containers with assembly and sealing foam. Perfect for degreasing surfaces before using polyurethanes and silicones.

Main intended use

PC-UNC Chemical products - uncategorised

The use descriptors

PW Widespread use by professional workers

C Consumer use

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Distributor

Name or trade name Marcopol Sp. z o.o.
Address Oliwska 100, Chwaszczyno k/Gdyni, 80-209
Poland
Phone (+48 58) 55 40 555
Web address www.marcopol.pl

Manufacturer

Name or trade name Rytm-L Sp. z o. o.
Address Strefowa 14, Tychy, 43-100
Poland
Phone 323240000
E-mail rytm@rytm-l.pl

Competent person responsible for the safety data sheet

Name Rytm-L
E-mail chb_karty@rytm-l.pl

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H222, H229
Eye Irrit. 2, H319
STOT SE 3, H336

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Extremely flammable aerosol. Pressurised container: May burst if heated.

Most serious adverse effects on human health and the environment

Causes serious eye irritation. May cause drowsiness or dizziness.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

TITAniumPRO Professional Cleaner for guns and foams

Creation date

30th August 2022

Revision date

Version

2.0

2.2. Label elements

Hazard pictogram



Signal word

Danger

Hazardous substances

acetone

ethyl acetate

Hazard statements

H222

Extremely flammable aerosol.

H229

Pressurised container: May burst if heated.

H319

Causes serious eye irritation.

H336

May cause drowsiness or dizziness.

Precautionary statements

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211

Do not spray on an open flame or other ignition source.

P251

Do not pierce or burn, even after use.

P405

Store locked up.

P410+P412

Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

P501

Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

Supplemental information

15-<30 % aliphatic hydrocarbons

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 606-001-00-8 CAS: 67-64-1 EC: 200-662-2 Registration number: 01-2119471330-49-xxxx	acetone	<45	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066	3
Index: 607-022-00-5 CAS: 141-78-6 EC: 205-500-4 Registration number: 01-2119475110-46-xxxx	ethyl acetate	<30	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066	3

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

TITAniumPRO Professional Cleaner for guns and foams

Creation date

30th August 2022

Revision date

Version

2.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9 Registration number: 01-2119486944-21-xxxx	propane	<10	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	2
Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7 Registration number: 01-2119474691-32-xxxx	butane	<10	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	1, 2
Index: 601-004-00-0 CAS: 75-28-5 EC: 200-857-2 Registration number: 01-2119485395-27-xxxx	isobutane	<10	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	1, 2

Notes

- Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- Note U (Table 3): When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

Press. Gas (Comp.)
Press. Gas (Liq.)
Press. Gas (Ref. Liq.)
Press. Gas (Diss.)

Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

- Substance with a Union workplace exposure limit.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Unlikely. DO NOT INDUCE VOMITING - even the induced vomiting can cause complications as in case of detergents and other foaming substances.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

TITAniumPRO Professional Cleaner for guns and foams

Creation date 30th August 2022
Revision date Version 2.0

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

May cause drowsiness or dizziness.

If on skin

Not expected.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Extremely flammable aerosol. Pressurised container: May burst if heated. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale gases and vapours. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Ventilate the room. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale gases and vapours. Prevent contact with skin and eyes. No smoking. Protect against direct sunlight. Do not pierce or burn, even after use. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Protect from sunlight. Keep container tightly closed. Do not expose to temperatures exceeding 50 °C.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

TITAniumPRO Professional Cleaner for guns and foams

Creation date	30th August 2022	Version	2.0
Revision date			

Storage class 2B - Aerosols

Storage temperature 25 °C

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union Commission Directive (EU) 2017/164

Substance name (component)	Type	Value
ethyl acetate (CAS: 141-78-6)	OEL 8 hours	734 mg/m ³
	OEL 8 hours	200 ppm
	OEL 15 minutes	1468 mg/m ³
	OEL 15 minutes	400 ppm

European Union Commission Directive 2000/39/EC

Substance name (component)	Type	Value
acetone (CAS: 67-64-1)	OEL 8 hours	1210 mg/m ³
	OEL 8 hours	500 ppm

DNEL

acetone

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	2420 mg/m ³	Local acute effects		
Workers	Dermal	186 mg/kg bw/day	Systemic chronic effects		
Workers	Inhalation	1210 mg/m ³	Systemic chronic effects		
Consumers	Dermal	62 mg/kg bw/day	Systemic chronic effects		
Consumers	Inhalation	200 mg/m ³	Systemic chronic effects		
Consumers	Oral	62 mg/kg bw/day	Systemic chronic effects		

ethyl acetate

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	37 mg/kg bw/day	Systemic chronic effects		
Consumers	Inhalation	734 mg/m ³	Systemic chronic effects		
Consumers	Oral	4.5 mg/kg bw/day	Systemic chronic effects		

PNEC

acetone

Route of exposure	Value	Value determination	Source
Drinking water	10.6 mg/l		
Seawater	1.06 mg/l		

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

TITAniumPRO Professional Cleaner for guns and foams

Creation date 30th August 2022
 Revision date Version 2.0

acetone

Route of exposure	Value	Value determination	Source
Freshwater sediment	30.4 mg/kg of dry substance of sediment		
Sea sediments	30.4 mg/kg of dry substance of sediment		
Soil (agricultural)	29.5 mg/kg of dry substance of soil		
Microorganisms in wastewater treatment plants	100 mg/l		

ethyl acetate

Route of exposure	Value	Value determination	Source
Drinking water	0.26 mg/l		
Freshwater sediment	1.25 mg/kg		
Soil (agricultural)	0.24 mg/kg		
Microorganisms in wastewater treatment plants	650 mg/l		

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	gas
Colour	colourless
color intensity	transparent
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	flammable
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	gas
Kinematic viscosity	data not available
Solubility in water	partially soluble

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

TITAniumPRO Professional Cleaner for guns and foams

Creation date 30th August 2022
Revision date Version 2.0

Partition coefficient n-octanol/water (log value) data not available
Vapour pressure data not available
Density and/or relative density data not available
Relative vapour density data not available
Particle characteristics data not available
Form aerosol dispenser: spray aerosol, aerosol
Preparation in the form of an aerosol. The classification was made on the basis of the ingredient MSDS.
Determination of the parameters of the preparation in this form was not performed due to the form of the preparation.

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is extremely flammable.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost. Pressurised container: May burst if heated.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.
acetone

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD50	5800 mg/kg		Rat (Rattus norvegicus)	
Inhalation	LC50	76 mg/l	4 hour	Rat (Rattus norvegicus)	
Dermal	LD50	7400 mg/kg		Guinea-pig (Cavia aperea f. porcellus)	
Dermal	LD50	7400 mg/kg		Rabbit	

butane

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation	LC50	658 mg/l	4 hour	Rat	

ethyl acetate

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD50	5620 mg/kg		Rat	
Dermal	LD50	>18000 mg/kg bw/day		Rabbit	

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

TITAniumPRO Professional Cleaner for guns and foams

Creation date

30th August 2022

Revision date

Version

2.0

ethyl acetate

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation	LD50	>26 mg/l		Mouse	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data not available.

acetone

Parameter	Value	Exposure time	Species	Environment
LC50	8800 mg/l	48 hour	Aquatic invertebrates (Daphnia pulex)	Freshwater
LC50	2100 mg/l	24 hour	Aquatic invertebrates (Artemia salina)	Salt water
LOEC	530 mg/l	8 day	Algae (Microcystis aeruginosa)	Freshwater
NOEC	430 mg/l	96 hour	Algae (Prorocentrum minimum)	Salt water
LC50	5540 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	Freshwater
LC50	11000 mg/l	96 hour	Fishes (Alburnus alburnus)	Salt water
LC50	0.1-1 mg/cm ²	48 hour	Invertebrates (Lumbricus terrestris)	

ethyl acetate

Parameter	Value	Exposure time	Species	Environment
LC50	350-600 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	
LC50	220-250 mg/l	96 hour	Fishes (Pimephales promelas)	
EC50	2300-3090 mg/l	24 hour	Daphnia (Daphnia magna)	

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

TITAniumPRO Professional Cleaner for guns and foams

Creation date

30th August 2022

Revision date

Version

2.0

ethyl acetate

Parameter	Value	Exposure time	Species	Environment
LC50	560 mg/l	48 hour	Daphnia (Daphnia magna)	
EC50	1800-3200 mg/l	72 hour	Algae (Selenastrum capricornutum)	
EC50	4300 mg/l	24 hour	Algae	

Chronic toxicity

acetone

Parameter	Value	Exposure time	Species	Environment
NOEC	2212 mg/l	28 hour	Invertebrates (Daphnia magna)	

More information

Avoid release to the environment.

12.2. Persistence and degradability

Biodegradability

acetone

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301B	87.8-92.2 %	28 day		Easily biodegradable
					Hydrolytically stable

ethyl acetate

Parameter	Method	Value	Exposure time	Environment	Result
		100 %	28 day		Biodegradable

The mixture is biodegradable.

12.3. Bioaccumulative potential

acetone

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]	Value determination
BCF	3					Calculation of value

ethyl acetate

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]	Value determination
Log Pow	0.68-0.73					

Data not available.

12.4. Mobility in soil

acetone

Parameter	Value	Environment	Temperature
	1500 ml/kg		20°C

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

TITAniumPRO Professional Cleaner for guns and foams

Creation date

30th August 2022

Revision date

Version

2.0

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 01 04 other organic solvents, washing liquids and mother liquors *

16 05 04 gases in pressure containers (including halons) containing hazardous substances *

Packaging waste type code

15 01 04 metallic packaging

15 01 10 packaging containing residues of or contaminated by hazardous substances *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1950

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant


Additional information

Hazard identification No.

UN number

Classification code

Safety signs



5F

2.1



Air transport - ICAO/IATA

Packaging instructions passenger 203

Cargo packaging instructions 203

Marine transport - IMDG

EmS (emergency plan) F-D, S-U

MFAG 620

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

TITAniumPRO Professional Cleaner for guns and foams

Creation date

30th August 2022

Revision date

Version

2.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Product contains reportable explosives precursors: Reporting of suspicious transactions, disappearances and thefts according to Regulation (EU) 2019/1148, Article 9.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Guidelines for safe handling used in the safety data sheet

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P405	Store locked up.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

A list of additional standard phrases used in the safety data sheet

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	---

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CE50	Concentration of a substance when it is affected 50% of the population
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

TITAniumPRO Professional Cleaner for guns and foams

Creation date 30th August 2022
Revision date Version 2.0

INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
LZO	Volatile organic compounds
MARPOL	International Convention for the Prevention of Pollution from Ships
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
Press. Gas (Comp.)	Gas under pressure: compressed gas
Press. Gas (Diss.)	Gas under pressure: dissolved gas
Press. Gas (Liq.)	Gas under pressure: liquefied gas
Press. Gas (Ref. Liq.)	Gas under pressure: refrigerated liquefied gas
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UE	European Union
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
vPvB	Very Persistent and very Bioaccumulative
WE	Identification code for each substance listed in EINECS
Aerosol	Aerosol
Eye Irrit.	Eye irritation
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.